

TREE ROOT PROTECTION ZONE

**DO NOT REMOVE, ADJUST, OR ENCROACH ON
THIS FENCING**

No access, construction activity or storage of equipment or materials allowed in the root protection zone. Moving or adjusting this fence or encroaching into the approved tree protection zone violates the City of Bend Development Code and may be subject to a monetary penalty and/or other enforcement action.


For more information or to report a violation to the City of Bend contact:

Email: planning@bendoregon.gov


Phone: (541) 388-5580 ext. 3

INSTRUCTIONS

1. Required protection fencing must be installed before any construction activities start; and may only be removed upon completion of final planning inspection.
2. Protection fencing must be installed at the edge of the root protection zone and permissible encroachment area on the development site in accordance with the City of Bend Standards and Specifications Standard Drawing E-3, Tree/Vegetation Protection Fencing. Existing structures and/or existing secured fencing at least 3.5 feet tall can serve as the required protective fencing.
3. When a root protection zone extends beyond the development site, protection fencing is not required to extend beyond the development site.
4. The sign must be secured in a prominent location on each protection fence.



FENCE IS TO BE LOCATED AT THE ROOT PROTECTION ZONE. THIS MAY OR MAY NOT EXCEED THE TREES DRIP LINE, DEPENDENT ON THE TREE SIZE AT DBH.



1. PROTECTION FENCING MUST:

- 1.1. BE INSTALLED PRIOR TO ANY GRADING AND/OR SITE IMPROVEMENTS. FENCING TO BE MAINTAINED UNTIL THE GRADING PERMIT / SITE PERMIT IS COMPLETE.
- 1.2. TREE PROTECTION METHODS MUST BE CONSISTENT WITH INTERNATIONAL SOCIETY OF ARBORICULTURE (ISA) BEST MANAGEMENT PRACTICES.
- 1.3. PROTECTION FENCING MUST BE INSTALLED AT THE EDGE OF THE ROOT PROTECTION ZONE AND PERMISSIBLE ENCROACHMENT AREA. EXISTING STRUCTURES AND/OR SECURE FENCING AT LEAST 3.5 FEET TALL CAN SERVE AS THE REQUIRED PROTECTION FENCING.
- 1.4. SIGNAGE DESIGNATING THE PROTECTION ZONE AND PENALTIES FOR VIOLATIONS MUST BE SECURED ON EACH FENCE AS REQUIRED BY THE BDC.
2. ANY LANDSCAPING OR IRRIGATION APPROVED WITHIN THE ROOT PROTECTION ZONE MAY BE INSTALLED BEFORE OR AFTER THE REMOVAL OF THE PROTECTION FENCING AND MUST NOT DISTURB EXISTING TREES, INCLUDING ROOTS, WITHIN THE ROOT PROTECTION ZONE.
3. NO EQUIPMENT SHALL OPERATE INSIDE THE PROTECTION FENCING. AREA WITHIN THE FENCING WILL NOT BE USED FOR STAGING OR STORAGE.

DRAWN: CJH		CITY OF BEND		SCALE: NTS	
DIV: EROSION		STANDARD DRAWING		DATE: 04/01/24	
REV: DATE: 12/1/17		710 NW WALL ST., BEND, OREGON 97701		APPR:	
		CITY OF BEND		STD. DWG: E-3	
TREE/VEGETATION PROTECTION FENCING					