

<b>Sewer Infrastructure Advisory Group Meeting Summary</b>	<b>Sept 20, 2012</b>
	<b>3:00- 5:00</b>
	<b>Bend Park &amp; Recreation, Riverside Community Room</b>
	<b>Note taker: Adele McAfee</b>
<p><b>In Attendance:</b>  <b>Committee Members:</b> Andy High, Casey Roats, Lynn Putnam, Mike Riley, Dale Van Valkenburg, Craig Horrell, Steven Hultberg, Charley Miller, Steve Galash, Stacey Stemach, Nathan Boddie,  <b>Absent with prior arrangement:</b> Bruce Alyward, Pam Hardy, Craig Moore, John Rexford, Sharon Smith, Wes Price  <b>COB Staff:</b> Tom Hickmann, Paul Rheault, Jon Skidmore, Aaron Collett, Reese Moody, Jim Wodrich  <b>Facilitators:</b> Clark Worth, Libby Barg (Barney &amp; Worth)</p>	
<b>Meeting Summary</b>	
<b>Agenda item:</b> Welcome / Updates	
<ul style="list-style-type: none"> <li>• SIAG website updated with new information (<a href="http://bendoregon.gov/index.aspx?page=841">http://bendoregon.gov/index.aspx?page=841</a>)</li> <li>• City Council work session (10/3/12) report</li> <li>• August 23, 2012 / September 6 collection system tour feedback</li> </ul>	
<b>Agenda item: City Council Resolution</b>	
<ul style="list-style-type: none"> <li>• Reviewed 5/16/2012 City Council CSMP Resolution</li> </ul>	
<b>Agenda Item : Water Reclamation Facility (WRF)</b>	
<ul style="list-style-type: none"> <li>• Jim Wodrich presented information on the WRF project.</li> <li>• Discussion question: Are there remaining questions / issues regarding the decision to move forward with the wastewater facility expansion?</li> <li>• SIAG questions: <ul style="list-style-type: none"> <li>○ What is the budget?</li> <li>○ Will past decisions on the WRF and SE Interceptor prejudice the optimization analysis because they are not classified as fixed assets?</li> <li>○ Does the 2.5 additional capacity get us to 2030?</li> <li>○ What do we need in additional capacity?</li> <li>○ What is the bearable utility rate increase?</li> <li>○ What are the DEQ requirements?</li> </ul> </li> <li>• Summary of SIAG feedback: <ul style="list-style-type: none"> <li>○ SIAG's task is to assure community priorities are being met through the collection system master planning process.</li> <li>○ The group acknowledged the WRF decision has been made and the model will be biased, but they want to move on to collection system planning.</li> <li>○ Acknowledging the WRF decision has been made should not be considered an endorsement of the project.</li> </ul> </li> </ul>	

## Agenda item: South East Interceptor

- Jim Wodrich presented information on the SE Interceptor.
- Discussion question: What is the best option for moving forward on the
- SIAG questions / comments:
  - What growth projection was used?
  - What is the cost of putting the pipe in the ground?
  - What is the cost with just the pipe?
  - What is the cost without the pipe?
  - What is the cost sewer pipe after the road has been built?
  - If pipe is put in how much is the stranded investments?
  - How many pump stations come off-line?
  - Will this be a stranded investment if the SE interceptor does not go in?
  - Who is paying for the project? Is ODOT paying any part of this?
  - Was there analysis completed to see if storage would provide system capacity?
  - Is the interceptor a likely part of the long-term solution?
  - What segments can be built that have individual functionality?
  - Why is the committee not looking at short term solutions to problems area that have been identified?
- Summary of SIAG feedback:
  - Lacking adequate information to compare options the committee declined to provide feedback on the best option for moving forward on the SE Interceptor.
  - Acknowledged City Council would make the decision on the SE Interceptor.
  - Restated their interest in moving forward on the collection system master planning process.
- Bruce White written comments on the SE Interceptor provided to committee (see attached).

To Do: Move financial meeting to an earlier date.

Meeting adjourned at 5:04 PM