




LONGITUDINAL ANCHOR TRENCH
NTS




TERMINAL SLOPE AND
CHANNEL ANCHOR TRENCH
NTS



CHECK SLOT AT
25' INTERVALS



INITIAL ANCHOR TRENCH
NTS



INTERMITTENT CHECK SLOT
NTS

NOTES:

1. CHECK SLOTS TO BE CONSTRUCTED PER MANUFACTURERS RECOMMENDATIONS.
2. STAKING OR STAPLING LAYOUT PER MANUFACTURES RECOMMENDATIONS.
3. SLOPE SURFACE SHALL BE FREE OF ROCKS, CLODS, STICKS, AND GRASS.
4. MATS/BLANKETS SHALL HAVE GOOD SOIL CONTACT.
5. APPLY PERMANENT SEEDING BEFORE PLACING BLANKETS.
6. LAY BLANKETS LOOSELY AND STAKE OR STAPLE TO MAINTAIN DIRECT CONTACT WITH SOIL. DO NOT STRETCH.

CHANNEL STABILIZATION
NTS

DRAWN	LJC
DIV	EROSION
REV	DATE
	12/1/17

CITY OF BEND

CITY OF BEND
STANDARD DRAWING
710 NW WALL ST., BEND, OREGON 97701
EROSION BLANKET - CHANNEL INSTALLATION

SCALE	NTS
DATE	10/01/21
APPR	
STD DWG	E-6