



NOTES:

1. MAY BE CONSTRUCTED BY EXCAVATION OR BY BUILDING A BERM.
 2. NO SEDIMENT LANDED WATER IS ALLOWED TO DISCHARGE FROM THE PROJECT. A FILTER MUST BE CONSTRUCTED TO FILTER RUNOFF FROM THE SEDIMENT TRAP PRIOR TO DISCHARGE FROM THE CONSTRUCTION SITE.
 3. UTILIZE A SEDIMENT TRAP AT THE LOW POINT(S) OF THE PROJECT WITHIN PERIMETER CONTROL BMPs.

INSPECTION AND MAINTENANCE:

4. INSPECT WEEKLY AND DAILY DURING STORM EVENTS.
 5. SEDIMENT FROM THE TRAP WHEN ACCUMULATION IS AT 1/3 CAPACITY.
 6. REPAIR ANY DAMAGE TO THE TRAP, EMBANKMENTS OR SLOPES.

| | | | | |
|-------|---------|--|--|-----------------|
| DRAWN | CJH |  CITY OF BEND | CITY OF BEND <small>STANDARD DRAWING</small> <small>710 NW WALL ST., BEND, OREGON 97701</small> SEDIMENT TRAP | SCALE NTS |
| DIV | EROSION | | | DATE 11/01/2024 |
| REV | DATE | | | APPR |
| | - | | | STD DWG E-14 |